

# TRAILED ROBOT ROTATING HEAD TYPE TURBO ATOMIZER



SMTA-2000



SMTA-2000



## GENERAL FEATURES

It has polyester and polyethylene depot and membrane pumps, which are operated by power take-off from tractor conveys pressuring chemical liquid to nozzles on fan. Fan is also operated with power- take off and it sends pressured air out. Pressured chemical liquid is sprayed by adjustable nozzles around the fan by air circulation. Atomization is provided on right or left sides by remote control.

## TECHNICAL DETAILS

CODE	CAPACITY (LT)	MATERIAL OF DEPOT	TYPE OF MACHINE	TYPE OF FAN	DIAMATER OF FAN	NUMBER OF NOZZLE	PUMP	NUMBER OF DIAPHRAGM PISTON	FLOW RATE (LT/MIN.)	PRESSURE (BAR)	PTO ROTATION (RPM)
SMTA-600	600	PLASTIC	GEARBOX	ROBOT ROTATING HEAD	60 CM TIRBUNE FAN	13	105	4	105	50	540
SMTA-1000	1000	PLASTIC	GEARBOX / WATER DEPOT	ROBOT ROTATING HEAD	60 CM TIRBUNE FAN	13	140	3	135	50	540
SMTA-1200	1200	PLASTIC	GEARBOX / WATER DEPOT	ROBOT ROTATING HEAD	60 CM TIRBUNE FAN	13	140	3	135	50	540
SMTA-1600	1600	PLASTIC	GEARBOX / WATER DEPOT	ROBOT ROTATING HEAD	60 CM TIRBUNE FAN	13	140	3	135	50	540
SMTA-2000	2000	PLASTIC	GEARBOX / WATER DEPOT	ROBOT ROTATING HEAD	60 CM TIRBUNE FAN	13	140	3	135	50	540





**SOIL MASTER**  
AGRICULTURAL MACHINERY

HEAD OFFICE

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G  
42050 Karatay/Konya/TURKEY

T: +90 332 290 00 20  
F: +90 332 290 00 19

FACTORY

Add: Büyükkayacık Osb, Yaylacık Cd. No:  
23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 239 18 85  
T: +90 332 239 18 86  
F: +90 332 239 18 87

[www.soilmaster.com.tr](http://www.soilmaster.com.tr)



+90 (532) 137 01 74



[info@soilmaster.com.tr](mailto:info@soilmaster.com.tr)



SOILMASTER AGRICULTURAL MACHINERY



For detailed information about  
our products, you can scan the  
QR code by your device.